



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

PRO POLISH, CHROME POLISH

##### Further trade names

This MSDS covers the following products:

-PRO POLISH

-CHROME POLISH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Automotive care products

Polishing agent

##### Uses advised against

any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Poorboys World UK	
	Unit 1 Bretfield Court	
Street:	Off Bretton Street	
Place:	GB-WF12 9BG Dewsbury	
Telephone:	+44 (0) 1924 469920	
Internet:	<a href="http://poorboysworld.com/">http://poorboysworld.com/</a>	
Responsible Department:	Dr. Gans-Eichler	e-mail: <a href="mailto:info@tge-consult.de">info@tge-consult.de</a>
	Chemieberatung GmbH	Tel.: +49 (0)251/924520-60
	Raesfeldstr. 22	<a href="http://www.tge-consult.de">www.tge-consult.de</a>
	D-48149 Münster	

#### 1.4. Emergency telephone number:

1-352-323-3500 International Emergency Hotline

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

May cause drowsiness or dizziness.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

Ceramic materials and wares, chemicals

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

Distillates (petroleum), hydrotreated light, Kerosine - unspecified

N,N-bis(2-hydroxyethyl)oleamide

**Signal word:** Warning



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 2 of 12

**Pictograms:**



**Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P405 Store locked up.
- P501 Dispose of contents/container to local/regional/national/international regulations.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### SECTION 3: Composition/information on ingredients

**3.2. Mixtures**

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
66402-68-4	Ceramic materials and wares, chemicals			30 - 40 %
	266-340-9			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha			10 - 25 %
	265-150-3	649-327-00-6		
	Skin Irrit. 2, STOT SE 3, Asp. Tox. 1; H315 H336 H304			
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified			10 - 25 %
	265-149-8	649-422-00-2		
	Flam. Liq. 3, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1; H226 H315 H336 H304			
63148-62-9	dimethyl silicone			1 - 5 %
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2; H315 H319 H411			
93-83-4	N,N-bis(2-hydroxyethyl)oleamide			1 - 5 %
	202-281-7			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			

Full text of H and EUH statements: see section 16.

**Labelling for contents according to Regulation (EC) No 648/2004**

15 % - < 30 % aliphatic hydrocarbons, < 5 % non-ionic surfactants, perfumes, preservation agents (Formaldehyde).

**Further Information**

hydrocarbons.: Note P: The classification as a carcinogen need not apply if it can be shown that the substance



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 3 of 12

contains less than 0,1 % w/w benzene (EINECS-No. 200-753-7).

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

###### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

###### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

###### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

###### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

###### Unsuitable extinguishing media

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide. Nitrogen oxides (NO<sub>x</sub>).

##### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

###### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Do not breathe vapour/aerosol. Avoid contact with eyes and skin.

##### 6.2. Environmental precautions

Discharge into the environment must be avoided.

##### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**PRO POLISH, CHROME POLISH**

Print date: 08.08.2016 Product code: Page 4 of 12

Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Wear suitable protective clothing. See section 8.  
 Conditions to avoid : generation/formation of aerosols

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Further information on handling**

General protection and hygiene measures: refer to chapter 8

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

**Advice on storage compatibility**

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and feedingstuffs.

**Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
 Recommended storage temperature: 20°C  
 Protect against: Light. UV-radiation/sunlight. heat. moisture.

**7.3. Specific end use(s)**

refer to chapter 1.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

**Additional advice on limit values**

air limit values:  
 Possibility of exposure to Aerosol  
 Limit value = 5 mg/m<sup>3</sup> - Source: ACGIH

**8.2. Exposure controls**



**Appropriate engineering controls**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 5 of 12

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

### Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

### Environmental exposure controls

No special precautionary measures are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid, viscous
Colour:	white/green
Odour:	characteristic

pH-Value:	not determined
-----------	----------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	100 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined

Flash point:	99 °C	closed cup
--------------	-------	------------

Sustaining combustion:	Not sustaining combustion
------------------------	---------------------------

### Explosive properties

none

#### Test method



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 6 of 12

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
<b>Auto-ignition temperature</b>	
Gas:	not determined
Decomposition temperature:	not determined
<b>Oxidizing properties</b>	
none	
Vapour pressure: (at 25 °C)	not determined
Density (at 25 °C):	1,11 g/cm <sup>3</sup>
Water solubility:	not determined
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
<b>9.2. Other information</b>	
Solid content:	not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide. Nitrogen oxides (NO<sub>x</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No data available.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 7 of 12

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
66402-68-4	Ceramic materials and wares, chemicals			
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier
	dermal	LD50 >2500 mg/kg	Rabbit	ECHA Dossier
	inhalative (4 h) aerosol	LC50 [ $>0,888$ ] mg/l	Rat	ECHA Dossier
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha			
	oral	LD50 >5000 mg/kg	Rat (OECD 401)	ECHA Dossier
	dermal	LD50 >2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified			
	oral	LD50 > 5000 mg/kg	Rat	ECHA dossier
	dermal	LD50 > 2000 mg/kg	Rabbit.	ECHA dossier
	inhalative (4 h) vapour	LC50 ( $> 5,3$ ) mg/l	Rat	ECAH dossier
63148-62-9	dimethyl silicone			
	oral	LD50 >17000 mg/kg	Rat	RTECS
	dermal	LD50 >2000 mg/kg	Rabbit	RTECS
93-83-4	N,N-bis(2-hydroxyethyl)oleamide			
	oral	LD50 >10000 mg/kg	Mouse	RTECS
	dermal	LD50 >10000 mg/kg	Rat	RTECS

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

The product has not been tested. dimethyl silicone: Skin corrosion/irritation: 500  $\mu$ l/24h, RabbitResult / evaluation: slightly irritant; Irritant effect on the eye: 500  $\mu$ l/24h, Rabbit Result / evaluation: slightly irritant

### Sensitising effects

Based on available data, the classification criteria are not met.

The product has not been tested. The product is not: sensitising

The statement is derived from the properties of the single components.

### Carcinogenic/mutagenic/toxic effects for reproduction



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 8 of 12

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

In-vitro mutagenicity:

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative. literature information: ECHA dossier

Carcinogenicity:

Method: (dermal.) OECD Guideline 451 (Carcinogenicity Studies) species: Mouse. Length of test: 2 years

Result: negative. literature information: ECHA Dossier

Reproductive toxicity:

Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study) species: Rat

Results: NOAEL >= 20000 mg/kg; literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study) species: Rat Results: NOAEL = 239000 mg/kg; literature information: ECHA Dossier

Distillates (petroleum), hydrotreated light, Kerosine - unspecified:

In vitro mutagenicity/genotoxicity:

Method:

-OECD Guideline 479 (Genetic Toxicology: In Vitro Sister Chromatid Exchange Assay in Mammalian Cells)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative. ; literature information: ECHA Dossier

In vivo mutagenicity/genotoxicity:

Method:

-OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)

-OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test)

Result: negative. ; literature information: ECHA Dossier

Reproductive toxicity

Method:-

Species: Sprague-Dawley Rat ;Exposure route : oral

Result: NOAEL > 1500 mg/kg ; literature information: ECHA Dossier

Developmental toxicity/teratogenicity

Method:OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Sprague-Dawley Rat ; Exposure route : oral

Result: NOAEL = 1000 mg/kg ; literature information: ECHA Dossier

#### STOT-single exposure

May cause respiratory irritation. (Ceramic materials and wares, chemicals), (N,N-bis(2-hydroxyethyl)oleamide)

May cause drowsiness or dizziness. (Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha), (Distillates (petroleum), hydrotreated light, Kerosine - unspecified)

#### STOT-repeated exposure



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**PRO POLISH, CHROME POLISH**

Print date: 08.08.2016

Product code:

Page 9 of 12

Based on available data, the classification criteria are not met.  
Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:  
Subchronic inhalative toxicity:  
Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)  
Exposure time: 2 years ; species: Rat  
Results: NOAEC = 1402 mg/m<sup>3</sup>; literature information: ECHA Dossier  
Distillates (petroleum), hydrotreated light, Kerosine - unspecified:  
Subchronic oral toxicity:  
Method:-  
Species: Sprague-Dawley Rat ;Exposure duration: 90d  
Result: NOAEL = 750 mg/kg ; literature information: ECHA Dossier  
Subchronic inhalation toxicity :  
Method:OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)  
Species: Mouse ; Exposure duration: 90d  
Result: NOAEC = 1000 mg/kg ; literature information: ECHA Dossier  
Subchronic oral toxicity:  
Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)  
Species: Sprague-Dawley Rat ; Exposure duration: 28d  
Result: NOAEC = 0,5 ml/kg; literature information: ECHA Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available.

**SECTION 12: Ecological information****12.1. Toxicity**

The product has not been tested.

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name	Value	d	Source
	Method			
	Evaluation			
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified			
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	61 %	28	ECHA Dossier
	The product is readily biodegradable to OECD criteria.			

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 10 of 12

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.  
Non-contaminated packages may be recycled.  
According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.  
Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances  
Classified as hazardous waste.

#### Waste disposal number of used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances  
Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150203 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 11 of 12

#### **14.6. Special precautions for user**

refer to chapter 6-8

#### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not relevant

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### **Changes**

Rev. 1.0; Initial release: 27.06.2016

Rev. 1,10; Changes in chapter: 2, 3,15; 08.08.2016

#### **Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail )



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PRO POLISH, CHROME POLISH

Print date: 08.08.2016

Product code:

Page 12 of 12

PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SARA: Superfund Amendments and Reauthorization Act  
SVHC: substance of very high concern  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*