

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Alternative number(s) **Refresh Dual Oil Wick - New Car and Cool Breeze** 09855

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer Use (Car Air Freshener)

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. 44145 Westlake United States

Telephone: 800-383-7323 (USA / CANADA) Http://data.energizer.com

1.4 Emergency telephone number

1-800-526-4727 Intl 1-314-985-1511

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin corrosion/irritation.	Skin Irrit. 2.	H315.
Skin sensitisation.	Skin Sens. 1.	H317.
Hazardous to the aquatic environment - chronic hazard.	Aquatic Chronic 2.	H411.

For full text of abbreviations: see SECTION 16.

Additional information

Adverse health effects are not reasonably expected from normal use of product. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word Warning
- Pictograms





according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

- Precautionary statements

P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regula- tions.

- Hazardous ingredients for labelling

limonene, citral, dimethylcyclohex-3-ene-1-carbaldehyde, pin-2(3)-ene

Derogations from labelling requirements

Labelling of packages where the contents do not exceed 125 ml

- Signal word Warning
- Hazard pictogram(s)



- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P302+P352	,	IF ON SKIN: Wash with plenty of water.
P333+P313		If skin irritation or rash occurs: Get medical advice/attention.
P362+P364		Take off contaminated clothing and wash it before reuse.
P501		Dispose of contents/container in accordance with local/regional/national/international regulations.

- Contains limonene, citral, dimethylcyclohex-3-ene-1-carbaldehyde, pin-2(3)-ene

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
limonene	CAS No 138-86-3	5 - < 10	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317
	EC No 205-341-0		Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
(2-methoxymethylethoxy)propan- ol	CAS No 34590-94-8	5 - < 10	
	EC No 252-104-2		
linalyl acetate	CAS No 115-95-7	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
	EC No 204-116-4		
citral	CAS No 5392-40-5	1-<5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412
	EC No 226-394-6		Aquatic enfonces/11412
Acetoxydihydrodicyclopentadiene	CAS No 54830-99-8	1-<5	Aquatic Chronic 3 / H412
	EC No 259-367-2		
1-(1,1-dimethylpropyl)-4-ethoxy- cyclohexane	CAS No 181258-87-7	<1	Skin Irrit. 2 / H315 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
dimethylcyclohex-3-ene-1-carbal- dehyde	CAS No 27939-60-2	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317
	EC No 248-742-6		Aquatic Chronic 3 / H412
pin-2(3)-ene	CAS No 80-56-8	< 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317
	EC No 201-291-9		Asp. Tox. 1 / H304

For full text of abbreviations: see SECTION 16.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

Heat, High temperatures, Frost



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupatior	nal exposure limit va	ues (Workplac	e Exposure Li	mits)		
Country	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]
EU	34590-94-8	IOELV	50	308		
GB	34590-94-8	WEL	50	308		
GB	80-56-8	WEL		800		

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Vapour pressure Density	not determined not determined
	Vapour density	this information is not available
	Relative density	information on this property is not available
	-	
	Solubility(ies)	not determined
	Auto-ignition temperature	not determined
	Viscosity	not determined
	Explosive properties	none
	Oxidising properties	none
9.2	Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components	s of the mixture		
Name of substance	CAS No	Exposure route	ATE
limonene	138-86-3	dermal	2,000 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture				
Name of substance	CAS No	Endpoint	Value	Species
(2- methoxymethylethoxy)pro- panol	34590-94-8	LC50	>1,000 ^{mg} / _l	aquatic invertebrates
linalyl acetate	115-95-7	LC50	11.14 ^{mg} / _l	fish

12.2 Persistence and degradability

Data are not available

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
linalyl acetate	115-95-7	oxygen deple- tion	0 – 10 %	1 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
(2-methoxymethylethoxy)propanol	34590-94-8		0.0043 (pH value: 7.5, 25 °C)	
linalyl acetate	115-95-7		3.9 (25 °C)	
pin-2(3)-ene	80-56-8		4.487 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information 14.1 **UN number** 3082 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-QUID, N.O.S. Technical name (Hazardous ingredients) limonene 14.3 Transport hazard class(es) Class 9 (environmentally hazardous) 14.4 Packing group III (substance presenting low danger) 14.5 Environmental hazards hazardous to the aquatic environment Environmentally hazardous substance (aquatic limonene environment)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

none of the ingredients are listed

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3).

Code.	Text.
H226.	Flammable liquid and vapour.
H304.	May be fatal if swallowed and enters airways.
H315.	Causes skin irritation.
H317.	May cause an allergic skin reaction.
H319.	Causes serious eve irritation.
H400.	Very toxic to aquatic life.
H410.	Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 (REACH)

Refresh Dual Oil Wick - New Car and Cool Breeze

Version number: 1.3

Date of compilation: 2018-03-15

List of relevant phrases (code and full text as stated in chapter 2 and 3).

Code.	Text.	

H411. Toxic to aquatic life with long lasting effects.

H412. Harmful to aquatic life with long lasting effects.

Disclaimer

This SDS has been compiled and is solely intended for this product. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.