



SAFETY DATA SHEET BLUECOL COOLANT 48

This safety data sheet is for internal use only.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name BLUECOL COOLANT 48
Product No. BAF001, BAF005, BAF200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Antifreeze liquid.

1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED
BEVIS GREEN WORKS
WALMERSLEY
BURY
BL9 6RE
0161 764 5981
0161 797 5899
info@tetrosyl.com

Manufacturer TETROSYL LIMITED
BEVIS GREEN WORKS
WALMERSLEY
BURY
BL9 6RE
0161 764 5981
0161 797 5899
info@tetrosyl.com

1.4. Emergency telephone number

0161 764 5981

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302
Environment	Not classified.

Classification (1999/45/EEC) Xn;R22.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains ETHANEDIOL

Label In Accordance With (EC) No. 1272/2008

BLUECOL COOLANT 48



Signal Word	Warning	
Hazard Statements		
Precautionary Statements	H302	Harmful if swallowed.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P270	Do not eat, drink or smoke when using this product.
	P264	Wash hands thoroughly after handling.
Supplementary Precautionary Statements	P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P501	Dispose of contents/container in accordance with local regulations.
	P330	Rinse mouth.

2.3. Other hazards**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

DISODIUM TETRABORATE PENTAHYDRATE		1-5%
CAS-No.: 12179-04-3	EC No.: 215-540-4	
Classification (EC 1272/2008) Repr. 1B - H360FD	Classification (67/548/EEC) Repr. Cat. 2;R60,R61	
ETHANEDIOL		60-100%
CAS-No.: 107-21-1	EC No.: 203-473-3	Registration Number: 01-2119456816-28
Classification (EC 1272/2008) Acute Tox. 4 - H302	Classification (67/548/EEC) Xn;R22	
SODIUM BENZOATE		5-10%
CAS-No.: 532-32-1	EC No.: 208-534-8	
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

BLUECOL COOLANT 48**4.1. Description of first aid measures**

General information

NOTE! Effects may be delayed. Keep affected person under observation. For breathing difficulties oxygen may be necessary. If breathing stops, provide artificial respiration. Get medical attention. Remove victim immediately from source of exposure. Place unconscious person on the side in the recovery position and ensure breathing can take place. Do not give victim anything to drink if they are unconscious.

Inhalation

Remove victim immediately from source of exposure. Get medical attention if any discomfort continues. For breathing difficulties oxygen may be necessary. If breathing stops, provide artificial respiration. In case of inhalation of spray mist: Move person into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Ingestion

Get medical attention immediately! Do not give victim anything to drink if he is unconscious. Try to induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Immediately rinse mouth and drink plenty of water. If person becomes uncomfortable or if ingested in large amounts (50-100 ml for an adult person): Take to hospital along with these instructions.

Skin contact

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

Eye contact

Do not rub eye. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. NOTE! Effects may be delayed. Keep affected person under observation.

Inhalation

Irritation of nose, throat and airway.

Ingestion

May cause discomfort if swallowed. Ingestion may result in unconsciousness, blindness and death. Central nervous system depression.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

Irritation, burning, lachrymation, blurred vision after liquid splash.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media**

Extinguishing media

Use: Foam, carbon dioxide or dry powder. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

BLUECOL COOLANT 48**5.3. Advice for firefighters**

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Leave danger zone immediately. Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of spray mist and contact with skin and eyes. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities. Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb spillage with suitable absorbent material.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Wear full protective clothing for prolonged exposure and/or high concentrations. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Avoid inhalation of vapours/spray and contact with skin and eyes. Avoid forming spray/aerosol mists. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Pregnant or breastfeeding women must not handle this product. Pregnant women should not work with the product, if there is the least risk of exposure.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Keep containers tightly closed. Keep upright. Keep in original container. Avoid contact with oxidising agents.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANEDIOL	WEL	20 ppm	10 mg/m ³	40 ppm	104 mg/m ³	Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment

BLUECOL COOLANT 48**Process conditions**

Provide eyewash station.

Engineering measures

Observe occupational exposure limits and minimize the risk of inhalation of vapours. Provide adequate ventilation.

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand protection

Nitrile gloves are recommended. Protective gloves must be used if there is a risk of direct contact or splash.

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

Other Protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Wash contaminated clothing before reuse. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Blue. Green.
Odour	Slight odour of alcohol.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	122°C
Melting point (°C)	-18°C
Relative density	1.1g/cm ³ 20°C
Vapour density (air=1)	>1
Vapour pressure	<0.01 mm Hg 37.8°C
Evaporation rate	Not determined.
pH-Value, Conc. Solution	7.2
Viscosity	<50 cP 20°C
Decomposition temperature (°C)	Not determined.
Odour Threshold, Lower	Not determined.
Odour Threshold, Upper	Not determined.
Flash point (°C)	115°C PM Closed cup.
Auto Ignition Temperature (°C)	Not determined.
Flammability Limit - Lower(%)	Not determined.
Flammability Limit - Upper(%)	Not determined.

BLUECOL COOLANT 48

Partition Coefficient (N-Octanol/Water) Not determined.
-1.36
Oxidising properties
Not available.

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Reaction with: Oxidising materials.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances. Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Toxic Dose 1 - LD 50

7712 mg/kg (oral rat)

Toxic Dose 2 - LD 50

5000 (Ethanediol) mg/kg (oral-rbt)

Target Organs

Central nervous system Heart & cardiovascular system Kidneys

Inhalation

Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

Ingestion

Harmful if swallowed. May cause stomach pain or vomiting.

Skin contact

Slightly irritating.

Eye contact

Irritating to eyes.

Health Warnings

This chemical can be hazardous when inhaled and/or touched.

BLUECOL COOLANT 48

Route of entry
Ingestion.

Target Organs
Central nervous system Heart & cardiovascular system Kidneys

Medical Symptoms

Allergic rash. Delayed, often serious breathing problems. Tachycardia, (excessively rapid heart beat, including rapid and weak pulse). Unconsciousness, possibly death.

Specific effects

May cause damage to the kidneys. Contains a substance/a group of substances with possible risk of harm to the unborn child and with possible risk of impaired fertility.

SECTION 12: ECOLOGICAL INFORMATION**Ecotoxicity**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l 72860mg/l
EC 50, 48 Hrs, Daphnia, mg/l >100mg/l
IC 50, 72 Hrs, Algae, mg/l >6500mg/l

12.2. Persistence and degradability**Degradability**

The product is biodegradable.

12.3. Bioaccumulative potential**Bioaccumulative potential**

Will not bio-accumulate.

Partition coefficient

Not determined. -1.36

12.4. Mobility in soil**Mobility:**

The product is soluble in water.

Adsorption/Desorption Coefficient

Not available.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS**General information**

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Confirm disposal procedures with environmental engineer and local regulations.

SECTION 14: TRANSPORT INFORMATION

BLUECOL COOLANT 48

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport Labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 11/09/2013

Revision 1

Safety Data Sheet Status Approved.

Risk Phrases In Full

R22 Harmful if swallowed.

R36 Irritating to eyes.

R61 May cause harm to the unborn child.

R60 May impair fertility.

BLUECOL COOLANT 48

Hazard Statements In Full

H319	Causes serious eye irritation.
H302	Harmful if swallowed.
H360FD	May damage fertility or the unborn child.