

SAFETY DATA SHEET CARPLAN DEMON COOL

SECTION 1: Identification of	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	CARPLAN DEMON COOL		
Product number	DCO101, DCO000		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	Antifreeze liquid.		
1.3. Details of the supplier of	the safety data sheet		
Supplier Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com		
1.4. Emergency telephone nu			
Emergency telephone	+44 (0)161 764 5981		
SECTION 2: Hazards identified	cation		
2.1. Classification of the subs	stance or mixture		
Classification (EC 1272/2008	-		
Physical hazards	Not Classified		
Health hazards	Acute Tox. 4 - H302		
Environmental hazards	Not Classified		
2.2. Label elements			
Pictogram			

Signal word

Warning

Hazard statements	H302 Harmful if swallowed.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P501 Dispose of contents/ container in accordance with local regulations.
Contains	ETHANEDIOL
Supplementary precautionary statements	P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P330 Rinse mouth. P501 Dispose of contents/ container to

2.3. Other hazards

This product contains substances classified as PBT.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
ETHANEDIOL		60-100%
CAS number: 107-21-1	EC number: 203-473-3	REACH registration number: 01- 2119456816-28-0000
Classification		
Acute Tox. 4 - H302		
STOT RE 2 - H373		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid mea	sures
4.1. Description of first aid	measures
General information	Effects may be delayed. Keep affected person under observation. For breathing difficulties, oxygen may be necessary. If breathing stops, provide artificial respiration. Get medical attention. Remove affected person from source of contamination. Place unconscious person on the side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person.
Inhalation	Remove affected person from source of contamination. Get medical attention if any discomfort continues. For breathing difficulties, oxygen may be necessary. If breathing stops, provide artificial respiration. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If throat irritation or coughing persists, proceed as follows. Get medical attention. Show this Safety Data Sheet to the medical personnel.
Ingestion	Get medical attention immediately. Never give anything by mouth to an unconscious person. Try to induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if a large quantity has been ingested. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.
Eye contact	Do not rub eye. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.	
Inhalation	Irritation of nose, throat and airway.	
Ingestion	May cause discomfort if swallowed. May cause unconsciousness, blindness and possibly death. Central nervous system depression.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	Irritation, burning, lachrymation, blurred vision after liquid splash.	
4.3. Indication of any immediate	e medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.	
SECTION 5: Firefighting measu	Jres	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Alcohol-resistant foam. Water spray, fog or mist. Carbon dioxide (CO2). Dry chemicals.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Leave danger zone immediately. Use protective equipment appropriate for surrounding materials.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, prot	ective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of spray mist and contact with skin and eyes. In case of spills, beware of slippery floors and surfaces.	
6.2. Environmental precautions		
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Avoid release to the environment. Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for c	ontainment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material.	

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe ha	7.1. Precautions for safe handling		
Usage precautions	Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid inhalation of vapours/spray and contact with skin and eyes. Avoid the formation of mists. Observe any occupational exposure limits for the product or ingredients. Avoid inhalation of vapours and spray/mists. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure.		
7.2. Conditions for safe stor	age, including any incompatibilities		
Storage precautions	Keep away from heat, sparks and open flame. Keep container tightly closed. Keep containers upright. Keep only in the original container. Avoid contact with oxidising agents.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure controls/Personal protection			

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls



Appropriate engineering
controlsAvoid inhalation of vapours. Observe any occupational exposure limits for the product or
ingredients. Provide adequate ventilation.Eye/face protectionEyewear complying with an approved standard should be worn if a risk assessment indicates
eye contact is possible. Unless the assessment indicates a higher degree of protection is
required, the following protection should be worn: Tight-fitting safety glasses.Hand protectionIt is recommended that gloves are made of the following material: Nitrile rubber. Chemical-
resistant, impervious gloves complying with an approved standard should be worn if a risk
assessment indicates skin contact is possible.

Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Hygiene measures	Provide eyewash station. Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Coloured liquid.	
Colour	Colourless.	
Odour	Odourless.	
рН	pH (diluted solution): 6-7.5 100 g/l	
Melting point	Not determined.	
Initial boiling point and range	100-195°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not determined.	
Upper/lower flammability or explosive limits	Not determined.	
Vapour pressure	Not determined.	
Vapour density	Not determined.	
Relative density	1.05 @ 15°C	
Solubility(ies)	Miscible with water. Miscible with the following materials: acetone Alcohols.	
Partition coefficient	: -1.36	
Auto-ignition temperature	Not determined.	
Decomposition Temperature	Not determined.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	The following materials may react with the product: Oxidising materials.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not determined.	
10.4. Conditions to avoid		

Conditions to avoid	Avoid contact with the following materials: Oxidising materials.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicological effects		
Toxicological effects	No information available.	
Acute toxicity - oral		
ATE oral (mg/kg)	833.33	
Specific target organ toxicity -	single exposure	
Target organs	Central nervous system Heart and cardiovascular system Kidneys	
<i>a</i>		
Inhalation	May cause respiratory system irritation.	
Ingestion	Harmful if swallowed. May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea. May cause nausea, headache, dizziness and intoxication.	
Skin contact	Slightly irritating.	
Eye contact	Irritating to eyes.	
Acute and chronic health hazards	This chemical can be hazardous when inhaled and/or touched. A single exposure may cause the following adverse effects: Central nervous system depression.	
Route of exposure	Ingestion.	
Target organs	Kidneys Liver	
Medical symptoms	Allergic rash. Delayed, often serious, breathing problems. Tachycardia (excessively rapid heart beat, including rapid and weak pulse). Unconsciousness, possibly death.	
SECTION 12: Ecological infor	mation	
Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.	
12.1. Toxicity		
Acute aquatic toxicity		
Acute toxicity - fish	LC₅₀, 96 hours: 72860mg/l mg/l, Fish	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 46300 mg/l, Daphnia magna	
Acute toxicity - aquatic plants	IC₅₀, 72 hours: >6500mg/l mg/l, Algae	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is biodegradable.	
12.3. Bioaccumulative potentia	al	

Bioaccumulative potential	The product is not bioaccumulating.	
Partition coefficient	: -1.36	
12.4. Mobility in soil		
Adsorption/desorption	Not available.	
coefficient		
12.5. Results of PBT and vPvI	B assessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	Not applicable.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method	ls	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam		
Not applicable.		
14.3. Transport hazard class(e	es)	
Transport labels No transport warning sign req	uired.	
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code		
SECTION 15: Regulatory information		
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture	

National regulations	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Health & Safety Department
Revision date	14/10/2018
Revision	1
SDS number	32808
SDS status	Approved.
Hazard statements in full	H302 Harmful if swallowed. H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure.