Revision: 5

Supersedes Date: 26/10/2007 v4



# SAFETY DATA SHEET CARPLAN FRAGRANCED SCREENWASH - APPLE

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Name CARPLAN FRAGRANCED SCREENWASH - APPLE

Product No. LPP001, FSW161

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Supplier: TETROSYL LIMITED

**BEVIS GREEN WORKS** 

WALMERSLEY

BURY BL9 6RE 0161 764 5981 0161 797 5899 info@tetrosyl.com

#### 1.4. Emergency telephone number

0161 764 5981

#### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) R10.

# 2.2. Label elements

**Detergent Labelling:** 

< 5% Perfumes

Non-ionic surfactants

Contains BUTYLPHENYL METHYLPROPIONAL

Risk Phrases

R10 Flammable

Safety Phrases

S2 Keep out of the reach of children.

S46 If swallowed, seek medical advice immediately and show this

container or label.

Use only in well-ventilated areas.

S56 Dispose of this material and its container to hazardous or

special waste collection point.

# 2.3. Other hazards

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Report Date: 11/07/2011 2 / 8 SDS No. 17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

ALCOHOL ETHOXYLATE WITH 7 MEO <1% CAS-No.: 68131-39-5 EC No.: Classification (EC 1272/2008) Classification (67/548/EEC) Not classified. Xn;R22. Xi;R41. N;R50. **BUTYL GLYCOL** 1-5% CAS-No.: 111-76-2 EC No.: 203-905-0 Classification (EC 1272/2008) Classification (67/548/EEC) Acute Tox. 4 - H302 Xn;R20/21/22 Acute Tox. 4 - H312 Xi;R36/38 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 **ETHANOL** 5-10% CAS-No.: 64-17-5 EC No.: 200-578-6 Classification (EC 1272/2008) Classification (67/548/EEC) Flam. Liq. 2 - H225 F;R11 **IPA** 1-5% CAS-No.: 67-63-0 EC No.: 200-661-7 Classification (EC 1272/2008) Classification (67/548/EEC) Flam. Liq. 2 - H225 F;R11 Xi;R36 Eve Irrit. 2 - H319 STOT Single 3 - H336 R67 **METHANOL** < 0.5 CAS-No.: 67-56-1 EC No.: 200-659-6 Classification (EC 1272/2008) Classification (67/548/EEC) Flam. Liq. 2 - H225 F;R11 Acute Tox. 3 - H301 T;R23/24/25,R39/23/24/25 Acute Tox. 3 - H311 Acute Tox. 2 - H330 STOT Single 1 - H370

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

Report Date: 11/07/2011 3/8 SDS No.

17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

General Information

Get medical attention if any discomfort continues. Remove affected person from source of contamination.

NOTE! Effects may be delayed. Keep affected person under observation.

Remove victim immediately from source of exposure. Get medical attention if any discomfort continues. For breathing difficulties oxygen may be necessary. If breathing stops, provide artificial respiration.

Get medical attention if any discomfort continues. Immediately rinse mouth and drink plenty of water. If person becomes uncomfortable or if ingested in large amounts (100-150 ml for an adult person): Take to hospital along with these instructions.

Skin Contact

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

**Eve Contact** 

Do not rub eye. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

#### 4.2. Most important symptoms and effects, both acute and delayed

General Information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. NOTE! Effects may be delayed. Keep affected person under observation.

Inhalation.

In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Irritation of nose, throat and airway.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting. Ingestion of large amounts may cause unconsciousness. May cause nausea, headache, dizziness and intoxication. Burning sensation in mouth. Skin Contact

Prolonged skin contact may cause redness and irritation. Mild dermatitis, allergic skin rash.

**Eye Contact** 

Irritation of eyes and mucous membranes.

# 4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable Extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

**Hazardous Combustion Products** 

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

May form explosive mixture with air at very high concentration.

Specific Hazards

Vapours may form explosive air mixtures even at room temperature.

# 5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Report Date: 11/07/2011 4 / 8 SDS No. 17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

Protective Measures In Fire

Leave danger zone immediately. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Do not smoke, use open fire or other sources of ignition. Avoid inhalation of spray mist and contact with skin and eyes. In case of spills, beware of slippery floors and surfaces.

#### 6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

#### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb spillage with suitable absorbent material.

#### 6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Wear full protective clothing for prolonged exposure and/or high concentrations. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Avoid inhalation of vapours/spray and contact with skin and eyes. Avoid forming spray/aerosol mists. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Keep containers tightly closed. Keep upright. Keep in original container. Store away from: Acids. Oxidising material.

#### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
BUTYL GLYCOL	WEL	25		50		
		ppm(Sk)		ppm(Sk)		
ETHANOL	WEL	1000 ppm	1920			
			mg/m3			
IPA	WEL	400 ppm	999 mg/m3	500 ppm	1250	
					mg/m3	
METHANOL	WEL	200	266	250	333	
		ppm(Sk)	mg/m3(Sk)	ppm(Sk)	mg/m3(Sk)	

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Protective Equipment

Report Date: 11/07/2011 5 / 8 SDS No. 17717

#### CARPLAN FRAGRANCED SCREENWASH - APPLE





#### **Engineering Measures**

Observe occupational exposure limits and minimize the risk of inhalation of vapours. Provide adequate ventilation.

Respiratory Equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand Protection

For prolonged or repeated skin contact use suitable protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Nitrile gloves are recommended. PVC or rubber gloves are recommended.

**Eve Protection** 

Wear approved, tight fitting safety glasses where splashing is probable.

Other Protection

Provide eyewash station.

Hygiene Measures

Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Green
Odour Fruity.

Melting Point (°C)

Scientifically unjustified.

Bulk Density 0.98

Vapour Density (Air=1) Scientifically unjustified.

Vapour Pressure

Scientifically unjustified.

**Evaporation Rate** 

Scientifically unjustified.

Decomposition Temperature (°C)

Scientifically unjustified.
Odour Threshold, Lower
Scientifically unjustified.
Odour Threshold, Upper
Scientifically unjustified.

Flash Point (°C) 48

Auto Ignition Temperature (°C)

Scientifically unjustified.

Flammability Limit - Lower(%)

Scientifically unjustified.

Flammability Limit - Upper(%)

Scientifically unjustified.

**Partition Coefficient** 

(N-Octanol/Water)

Scientifically unjustified.

Report Date: 11/07/2011 6 / 8 SDS No. 17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

Oxidising Properties Not available.

9.2. Other information

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Reaction with: Acids. Aldehydes. Isocyanates. Strong oxidising agents.

#### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

#### 10.3. Possibility of hazardous reactions

Not determined.

# 10.4. Conditions to avoid

Avoid contact with strong oxidisers. Avoid heat, flames and other sources of ignition. Avoid contact with acids. Avoid contact with acids and oxidising substances. Will react violently with: Earth metals such as sodium, potassium and barium.

# 10.5. Incompatible materials

Materials To Avoid

Strong acids. Strong oxidising substances. Alkali metals. Metal oxides. Aldehydes. Isocyanates.

#### 10.6. Hazardous decomposition products

None under normal conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Toxic Dose 1 - LD 50 3450 (Ethanol) mg/kg (oral-mouse)

Toxic Dose 2 - LD 50 6300 (Ethanol)

Toxic Conc. - LC 50 20000 (Ethanol) ppm/-- (ihl-rat)

# **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity:

The product is not expected to be hazardous to the environment.

# 12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l 12900-15300 (Ethanol)

# 12.2. Persistence and degradability

Degradability:

There are no data on the degradability of this product.

# 12.3. Bioaccumulative potential

Bioaccumulative Potential:

No data available on bioaccumulation.

#### 12.4. Mobility in soil

Adsorption/Desorption Coefficient

Not available.

# 12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

# 12.6. Other adverse effects

Not available.

Report Date: 11/07/2011 7 / 8 SDS No.

17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

# **SECTION 13: DISPOSAL CONSIDERATIONS**

General Information

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

# 13.1. Waste treatment methods

Confirm disposal procedures with environmental engineer and local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

#### 14.1. UN number

UN No. (ADR/RID/ADN) 1993 UN No. (IMDG) 1993 UN No. (ICAO) 1993

# 14.2 UN Proper shipping name

**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL, ETHANOL)

# 14.3 Transport hazard class(es)

ADR/RID/ADN Class

ADR/RID/ADN Class Class 3: Flammable liquids.

ADR Label No. **IMDG Class** 3 ICAO Class/Division 3

**Transport Labels** 



# 14.4. Packing group

ADR/RID/ADN Packing group III ICAO Packing group Ш

# 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

# 14.6. Special precautions for user

**EMS** F-E, S-E **Emergency Action Code** 3Y Hazard No. (ADR) 30

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Report Date: 11/07/2011 8 / 8 SDS No. 17717

# CARPLAN FRAGRANCED SCREENWASH - APPLE

# 15.2. Chemical Safety Assessment

# **SECTION 16: OTHER INFORMATION**

**Revision Comments** 

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 11/07/2011 v4

Revision 5

Supersedes Date 26/10/2007 v4 Safety Data Sheet Status Approved.

Risk Phrases In Full

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.
R11 Highly flammable.

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with

skin and if swallowed.

R67 Vapours may cause drowsiness and dizziness.

R50 Very toxic to aquatic organisms.

Hazard Statements In Full

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.
H370 Causes damage to organs << Organs>>.