



## SAFETY DATA SHEET

### JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum  
**Product number** 15416

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Air Freshener  
**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

###### Supplier

Custom Accessories Europe  
 The Granary  
 Standen Manor  
 Hungerford  
 Berkshire  
 RG17 0RB  
 UK  
 T: +44 (0) 1488 662770  
 F: +44 (0) 1488 662771  
 E: info@caeurope.co.uk

##### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 1488 662770 (9:00-17:00 Monday - Friday)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Flam. Liq. 3 - H226  
**Health hazards** Skin Sens. 1 - H317  
**Environmental hazards** Aquatic Chronic 2 - H411

**Human health** The product contains a sensitising substance. See Section 11 for additional information on health hazards.

**Environmental** The product contains a substance which may have hazardous effects on the environment.

**Physicochemical** The product is flammable.

##### 2.2. Label elements

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

### Pictogram



### Signal word

Warning

### Hazard statements

H226 Flammable liquid and vapour.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P501 Dispose of contents/ container in accordance with local regulations.

### Contains

eugenol, d-limonene, alpha-damascone, cis-beta-damascone

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>pentyl acetate</b>	10 - <25%
CAS number: 628-63-7	EC number: 211-047-3
<b>Classification</b>	
Flam. Liq. 3 - H226	
<b>methyl salicylate</b>	10 - <25%
CAS number: 119-36-8	EC number: 204-317-7
<b>Classification</b>	
Acute Tox. 4 - H302	
<b>3-methylbutyl butyrate</b>	5 - <10%
CAS number: 106-27-4	EC number: 203-380-8
<b>Classification</b>	
Flam. Liq. 3 - H226	
Aquatic Chronic 3 - H412	
<b>cinnamic aldehyde</b>	2.5 - <5%
CAS number: 104-55-2	EC number: 203-213-9
<b>Classification</b>	
Acute Tox. 4 - H312	

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

<b>eugenol</b>	<b>2.5 - &lt;5%</b>
CAS number: 97-53-0	EC number: 202-589-1
<b>Classification</b>	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
<b>d-limonene</b>	<b>2.5 - &lt;5%</b>
CAS number: 5989-27-5	EC number: 227-813-5
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Skin Sens. 1 - H317	
Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>undecan-4-olide</b>	<b>2.5 - &lt;5%</b>
CAS number: 104-67-6	EC number: 203-225-4
<b>Classification</b>	
Aquatic Chronic 2 - H411	
<b>ethyl vanillin</b>	<b>1 - &lt;2.5%</b>
CAS number: 121-32-4	EC number: 204-464-7
<b>Classification</b>	
Eye Irrit. 2 - H319	
<b>vanillin</b>	<b>1 - &lt;2.5%</b>
CAS number: 121-33-5	EC number: 204-465-2
<b>Classification</b>	
Eye Irrit. 2 - H319	
<b>alpha-damascone</b>	<b>0.25 - &lt;0.5%</b>
CAS number: 43052-87-5	
<b>Classification</b>	
Skin Sens. 1 - H317	

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

<b>cis-beta-damascone</b>	<b>0.025 - &lt;0.25%</b>
CAS number: 23726-92-3	EC number: 245-843-7
<b>Classification</b>	
Skin Sens. 1 - H317	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	If liquid has entered the eyes, proceed as follows. Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention promptly if symptoms occur after washing.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a sensitising substance.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	The product is flammable.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Ventilate closed spaces before entering them. Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Use protective equipment appropriate for surrounding materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. Provide adequate ventilation. Take care as floors and other surfaces may become slippery.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. Small Spillages: Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: Absorb spillage with non-combustible, absorbent material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Handle all packages and containers carefully to minimise spills. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using this product. Persons susceptible to allergic reactions should not handle this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Do not store near heat sources or expose to high temperatures. Keep out of the reach of children.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### pentyl acetate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 270 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 100 ppm 541 mg/m<sup>3</sup>

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
<b>Eye/face protection</b>	No specific eye protection required during normal use.
<b>Hand protection</b>	No specific hand protection recommended. Large Spillages: Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
<b>Hygiene measures</b>	Wash promptly with soap and water if skin becomes contaminated. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Avoid discharge to the aquatic environment.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Coloured liquid.
<b>Colour</b>	Colourless to pale yellow.
<b>Odour</b>	Fruity.
<b>Odour threshold</b>	Not determined.
<b>pH</b>	Not determined.
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	122°F
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Not determined.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	0.89-0.99
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Explosive properties</b>	Not determined.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

<b>Other information</b>	None.
--------------------------	-------

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with strong oxidising agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 6,636.08

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 26,955.81

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Skin corrosion/irritation

**Animal data** Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

##### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

##### Skin sensitisation

**Skin sensitisation** May cause skin sensitisation or allergic reactions in sensitive individuals.

##### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

##### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

##### Reproductive toxicity

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

## SECTION 12: Ecological Information

**Ecotoxicity** The product contains a substance which may have hazardous effects on the environment.

### 12.1. Toxicity

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not determined.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way.

**Disposal methods** Reuse or recycle products wherever possible. Avoid discharge into drains or watercourses or onto the ground. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

UN No. (ADR/RID) 1993

UN No. (IMDG) 1993

UN No. (ICAO) 1993

UN No. (ADN) 1993

### 14.2. UN proper shipping name



## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

**Proper shipping name (ADR/RID)** FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

**Proper shipping name (IMDG)** FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

**Proper shipping name (ICAO)** FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

**Proper shipping name (ADN)** FLAMMABLE LIQUID, N.O.S. (CONTAINS PENTYL ACETATE, d-LIMONENE)

### 14.3. Transport hazard class(es)

**ADR/RID class** 3

**ADR/RID classification code** F1

**ADR/RID label** 3

**IMDG class** 3

**ICAO class/division** 3

**ADN class** 3

### Transport labels



### 14.4. Packing group

**ADR/RID packing group** III

**IMDG packing group** III

**ICAO packing group** III

**ADN packing group** III

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**



### 14.6. Special precautions for user

**EmS** F-E, S-E

**ADR transport category** 3

**Emergency Action Code** •3Y

**Hazard Identification Number (ADR/RID)** 30

**Tunnel restriction code** (D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78 and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## JELLY BELLY VENT MOUNT MEMBRANE - Bubblegum

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
<b>EU legislation</b>	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Flam. Liq. 3 - H226, Skin Sens. 1 - H317, Aquatic Chronic 2 - H411: Calculation method.
<b>Revision date</b>	27/10/2016
<b>Revision</b>	3
<b>Supersedes date</b>	10/02/2015
<b>SDS number</b>	4697
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.